
### Model M530

## **Body Worn Camera**

World First 5G Enabled Biggest 3.1" High resolution Touch Screen Body Worn Camera with 4 Cameras Lens and 4K video recording





S/N	Button / Camera Name	Functions
1	Alarm Light and Flash Light	Blue & Red Alarm Light, Flash light
2	IR LED	2x High Power LED light for night vision
3	MIC	Dual MIC, support AI noise reduction
4	Main Lens	13M real physical pixels auto focus camera
5	Night Lens	Night Vision Lens
6	AF Lens	To help to take IC/Passport photo in very close distance
7	Battery Panel	Battery cover
8	Lock	Toggle switch lock to open/close battery cover
9	NFC	NFC reader built-in to read IC chip
10	USB Type C port	To fast recharge 9V/2A and data retrieve
11	Speaker	Loud High Amplifier Speaker
12	Front Lens	To do video call
13	vRec	Press to record video/audio into local storage
14	Snapshot	Take photo into local storage and also upload to cloud
15	audioRec	Record audio only to acc file
16	PWR	Power button to switch off or restart BWC
17	SoS	Press to send SoS to command centre or nearby colleagues
18	PTT	Push to talk button working as Walkie Talkie over 5G/4G
19	Volume Up	Increase speaker volume
20	Volume Down	Decrease speaker volume
21	IMP	Important Event Button, put important event mark into recorded video stream file

# Specification

#### 4 Camera Lens 4K Video Resolution -5G body worn camera **M530 Specifications** CPU 8 cores, main frequency 2.0GHz OS Android 10.0 and above GSM: 2/3/5/8 WCDMA: 1/2/5/8 TDS: 34/39 Network TDD: 34/38/39/40/41 Type/Frequency Band FDD: 1/2/3 /5/7/8/28AB (including 700M) CDMA: BC0 5G: N1/N3/N41/N77/N78/N79/N28AB (Including 700M) 4GB RAM +64GB Flash Memory Display screen 3.1 inches, Resolution 480\*800 Touch screen Corning Gorilla Glass Front camera Len 2 million real physical pixels 13M real physical pixels auto focus camera Rear 3 camera Lens Night vision camera 2M Pixels Wide-angle camera 5M Pixels Red and blue flashing warning lights Warning light Flash Light 1 piece **Hardware** Signal light 1 tricolours light Automatic night vision switching, support 2 high-power IR LEDs, meet the requirements of seeing faces within 3 meters and Night vision outlines of people within 10 meters at night, and support automatic switching to IR LED according to ambient brightness Navigation/GPS tracking Support GPS/Beidou/Glonass Satellites Bluetooth Bluetooth 5.1 NFC Support, ST21NFC WiFi Support IEEE802.11 ac/a/b/g/n, 2.4G/5G OTG Voice intercom Support public network voice intercom Rated power 2W, maximum power 2.5W, support smart power Trumpet amplifier Mic Dual MIC, support AI noise reduction Motor Support 3500mAh **Battery** Backup battery 50mAh, support battery replacement without shutting down Camera Sensor dual cameras combination to one Recording Video angle Horizontal angle ≥ 100 degrees, distortion < 1% parameters F/NO=2.2, large aperture, support more light input in dark Lens aperture environment

		4K (Ultra HD): 4096X2160 (30fps) (optional)		
	Video size	2K (true HD): 2560X1440 (30fps) / standard configuration		
		FHD (Full High Definition): 1920X1080(30fps)/default		
		HD (High Definition): 1280X720(30fps)/(Optional 60fps)		
		VGA (SD): 640X480(30fps)		
		D1: 720x480 (30fps)		
	Image Compression Format	H.265 and backward compatible with H.264		
	Encryption	Real time AES256 encrypted video audio file into BWC local storage		
	SIM card holder	Support dual nano Sim cards		
Interface	USB card holder	Support Type-C interface self-waterproof, USB3.0 interface, support fast charge 9V/2A		
	MicroSD Slot	Single MicroSD card up to 1TB		
	Power keys/Switch button	Long press to turn on/off, short press to standby/wake up		
	Video keys/record key	Press once to start video recording, press again to end recording		
	Camera Keys/photograph key	Click to take a photo		
Hardware	SOS Keys/emergency alarm key	SOS button		
Button	PTT Keys/Intercom key	PTT button (Push to Talk)		
	Record Voice Keys/record voice key	Press once to start recording voice to acc file, press again to end recording voice		
	Volume/volume increase and decrease	Volume+/Volume-		
	IMP Key/mark key	One-click operation to mark the important event in the video files in the recording process		
	Operating temperature	Working temperature: -30°C to +55°C; Storage temperature: -40°C to +70°C		
Environmental	ESD electrostatic	Contact ±8KV, air ±10KV		
Parameters	IP Protection	IP68, drop 2 meters		
	Charging time	less than 3 hours with fast charger adaptor;		
	Operating hours	Single-battery body-worn camera 2K continuous recording time of 12 hours;		
Physical	Dimensions	100×60×22mm		
Parameters	Weight	175 grams with battery, without bracket (standard bracket 5 grams)		
Software specification				

Weight

Native platform	Converged communication-multi-source video fusion visual command and dispatch platform VMS which is provided by Windows client application		
		Compatible with WebRTC <a href="https://webrtc.org/">https://webrtc.org/</a>	
Web Platform	Compatible with Chrome, Edge, Firefox, Opera and Safari	Web platform online API document for integration to 3 <sup>rd</sup> party software platform	
		Open-source code for web front end provided	
		Customizable backend software according to user requirements	

# How to replace battery and insert SIM card:

